Environmental Biology of Fishes **58:** 469–471, 2000.

Volume 58

Issue 1, pp. 1–118: May 2000
Issue 2, pp. 119–236: June 2000
Issue 3, pp. 237–354: July 2000
Issue 4, pp. 355–474: August 2000

Volume contents

Full papers

The biology of the nurse shark, *Ginglymostoma cirratum*, off the Florida east coast and the Bahama Islands, by J.I. Castro 1–22

Dermal bite wounds as indicators of reproductive seasonality and behaviour in the Atlantic stingray, *Dasyatis sabina*, by S.M. Kajiura, A.P. Sebastian & T.C. Tricas 23–31

Tidal influence on spatial dynamics of leopard sharks, *Triakis semifasciata*, in Tomales Bay, California, by J.T. Ackerman, M.C. Kondratieff, S.A. Matern & J.J. Cech, Jr. 33–43

Growth, natural mortality, length-weight relationship, maximum length and length-at-first-maturity of the coelacanth *Latimeria chalumnae*, by R. Froese & M.L.D. Palomares 45–52

Sperm storage structures in the ovary of *Helicolenus dactylopterus dactylopterus* (Teleostei: Scorpaenidae): an ultrastructural study, by M. Muñoz, M. Casadevall, S. Bonet & I. Quagio-Grassiotto 53–59

Evidence for morphometric differentiation of wild and captively reared adult coho salmon: a geometric analysis, by J.J. Hard, B.A. Berejikian, E.P. Tezak, S.L. Schroder, C.M. Knudsen & L.T. Parker 61–73

Spatial and temporal ecology of native and introduced fish larvae in lower Putah Creek, California, by M.P. Marchetti & P.B. Moyle 75–87

A large-scale comparative analysis of riffle and pool fish communities in an upland stream system, by C.M. Taylor 89–95

Swimming patterns associated with foraging in phylogenetically and ecologically diverse American weakly electric teleosts (Gymnotiformes), by P. Nanjappa, L. Brand & M.J. Lannoo 97–104

Brief communications

Elongation of fin rays in parental males of *Zosterisessor ophiocephalus* (Pisces, Gobiidae), by P. Torricelli, S. Malavasi, N. Novarini, F. Pranovi & D. Mainardi 105–108

Feeding of burbot, *Lota lota*, at different temperatures, by J.-P. J. Pääkkönen & T.J. Marjomäki ... 109–112

Gill morphometry in growth hormone transgenic Pacific coho salmon, *Oncorhynchus kisutch*, differs markedly from that in GH transgenic Atlantic salmon, by E.D. Stevens & R.H. Devlin 113–117

Announcement 118

Full papers

Biogeography of the New Zealand torrentfish, *Cheimarrichthys fosteri* (Teleostei: Pinguipedidae): a distribution driven mostly by ecology and behaviour, by R.M. McDowall 119–131

Fish communities associated with macrophytes in Brazilian floodplain lakes, by A.J. Meschiatti, M.S. Arcifa & N. Fenerich-Verani 133–143

Threatened fishes of the world: Gymnocharacinus bergi *Steindachner, 1903 (Characidae), by S. Ortubay & V. Cussac* 144

The ichthyofauna associated with an intertidal creek and adjacent eelgrass beds in the Kariega Estuary, South Africa, by A.W. Paterson & A.K. Whitfield 145–156

Modelling spatio-temporal effects of environment on Atlantic herring, *Clupea harengus*, by C.D. Maravelias, D.G. Reid & G. Swartzman 157–172

Diel movements of bat rays, *Myliobatis californica*, in Tomales Bay, California: evidence for behavioral thermoregulation? by S.A. Matern, J.J. Cech, Jr. & T.E. Hopkins 173–182

Association of large juvenile red drum, *Sciaenops ocellatus*, with an estuarine creek on the Atlantic coast of Florida, by D.H. Adams & D.M. Tremain 183–194

Coexistence of anadromous and resident life history styles of pond smelt, *Hypomesus nipponensis*, in Lake Ogawara, Japan, as determined by analyses of otolith structure and strontium:calcium ratios, by S. Katayama, R.L. Radtke, M.. Omori & D.J. Shafer 195–201

Host imprinting in anemonefishes (Pisces: Pomacentridae): does it dictate spawning site preferences? M. Arvedlund, I. Bundgaard & L.E. Nielsen 203–213

Threatened fishes of the world: Ophisternon candidum *Mees, 1962) (Synbranchidae), by A. Romero & P.B.S. Vanselow* 214

Reproductive biology of the introduced Mayan cichlid, *Cichlasoma urophthalmus*, within an estuarine mangrove habitat of southern Florida, by C.H. Faunce & J.J. Lorenz 215–225

Brief communications

Fright reaction in *Gymnocharacinus bergi* (Pisces, Characidae), a relic fish from Patagonia, by M. Lozada, S. Ortubay & V. Cussac 227–232

Filial cannibalism in the paternal mouthbrooding cardinalfish *Apogon lineatus*: egg production by the female as nutrition source for the mouthbrooding male, by G. Kume, A. Yamaguchi & T. Taniuchi 233–236

Invited review

Temperature tolerances of North American freshwater fishes exposed to dynamic changes in temperature, by T.L. Beitinger, W.A. Bennett & R.W. McCauley 237–275

Full papers

Quantification of the role of acclimation temperature in temperature tolerance of fishes, by T.L. Beitinger & W.A. Bennett 277–288

Swimming performances of four California stream fishes: temperature effects, by C.A. Myrick & J.J. Cech, Jr. 289–295

Microhabitat preferences and movements of the weatherfish, *Misgurnus fossilis*, in a drainage channel, by L. Meyer & D. Hinrichs 297–306

Sexual maturation, annual reproductive cycle, and spawning periodicity of the shore scorpionfish, *Scorpaenodes littoralis*, by M. Yoneda, H. Miura, M. Mitsuhashi, M. Matsuyama & S. Matsuura 307–319

Sex allocation in *Lythrypnus* (Gobiidae): variations on a hermaphroditic theme, by C.M. St. Mary . 321–333

Age and growth of the whiskery shark, *Furgaleus macki*, from southwestern Australia, by C.A. Simpfendorfer, J. Chidlow, R. McAuley & P. Unsworth 335–343

Effects of mixed-species foraging groups on the feeding and aggression of juvenile parrotfishes, by K.L. Overholtzer & P.J. Motta 345–354

Full papers

Interactions between habitat use and patterns of abundance in coral-dwelling fishes of the genus *Gobiodon*, by P. L. Munday 355–369

Predicting population recovery rates for endangered western Atlantic sawfishes using demographic analysis, by C.A. Simpfendorfer 371–377
Seasonal variation of ichthyoplankton in a western Caribbean bay system, by L. Vásquez-Yeomans 379–392
Homing and movement of yellow-phase American eels in freshwater ponds, by P.J. Lamothe, M. Gallagher, D.P. Chivers & J.R. Moring 393–399
Territoriality and habitat use by juvenile blue tangs, *Acanthurus coeruleus*, by T. Bell & D.L. Kramer 401–409
A quantitative analysis of the courtship acoustic behaviour and sound patterning in male sand goby, *Pomatoschistus minutus*, by K. Lindström & M. Lugli 411–424
The influence of structural complexity on fish-zooplankton interactions: a study using artificial submerged macrophytes, by J. Manatunge, T. Asaeda & T. Priyadarshana 425–438
Test of competitive interactions for space between two benthic fish species, burbot *Lota lota*, and stone loach *Barbatula barbatula*, by P. Fischer 439–446
Predation by white sharks *Carcharodon carcharias* (Chondrichthyes: Lamnidae) upon chelonians, with new records from the Mediterranean Sea and a first record of the ocean sunfish *Mola mola* (Osteichthyes: Milidae) as stomach contents, by I.K. Fergusson, L.J.V. Compagno & M.A. Marks 447–453

Brief communications

Low temperature tolerance of pacu, *Piaractus mesopotamicus*, by A. Milstein, M. Zoran, Y. Peretz & D. Joseph 455–460
Estimating relative abundance of seagrass fishes: a quantitative comparison of three methods, by R. Petrik & P.S. Levin 461–466

Authors' index 467

Acknowledgements for refereeing 468

Volume contents 469–471

Instructions to authors 473–474